
UTAH OIL AND GAS CONSERVATION COMMISSION REMARKS: WELL LOG **ELECTRIC LOGS** FILE WATER SANDS LOCATION INSPECTED SUB. REPORT/abd DATE FILED 2-19-91 STATE LEASE NO. LAND: FEE & PATENTED PUBLIC LEASE NO INDIAN 3-12-91 (CAUSE NO. 156-3) DRILLING APPROVED: SPUDDED IN: B-110-98 1 COMPLETED: PUT TO PRODUCING: INITIAL PRODUCTION GRAVITY A.P.I. GOR: PRODUCING ZONES: TOTAL DEPTH: WELL ELEVATION: APD Expired 12-110-92 DATE ABANDONED: FIELD: MEXICAN HAT UNIT COUNTY: SAN JUAN API NO. 43-037-31612 GOODRIDGE 91-6 WELL NO. LOCATION 2123' FNL FT. FROM (N) (S) LINE, 332' FEL FT. FROM (E) (W) LINE SE NE 1/4 - 1/4 SEC. TWP. RGE. SEC. **OPERATOR** TWP. RGE. SEC. **OPERATOR 42S** 19E SAN JUAN MINERAL EXPL.

e .			Separation Comments		- Angle Aspensives of Angles Supples	
FORM 3		STATE OF UTAH				
	DIVISION	OF OIL, GAS AND	MINING F	EB 19 199	31 22	
					5. Lease Designation at	ad Serial No.
A DOUG A TI	ON 500 DEDA	ALT TO DOUL DEE	DENI OD DOMIN	Diviology of	6. If Indian, Allottee o	or Tribe Name
de la company de la company	ON FOR PERM	AIT TO DRILL, DEE	PEIN, OR FUNDS	PARAGANNI	NG	
. Type of Work	DRILL 🖼	DEEPEN [PLUG	BACK [7. Unit Agreement Nam	ie .
. Type of Well Oil XXX Well	Gas ():		Single	Multiple Zone	8. Farm or Lease Nam	ie .
Name of Operator	(Vel(her	Zone U	Zone	Goodridge	3
San J	uan Mineral	s Exploration	Co.		9. Well No	
Adding the state of the same	**			0.43.4	91=6 10. Field and Pool, or V	Willest May 1
	Williams A	Avenue Blythe		9414 ~	10. Field and Fool, of	The state of the s
At surface	, nepota tocheron elektry	and the second s			11. 00. Sec., T., R., H.,	gneated.
2123'	FNL and 33	32' FEL	t ·		and Survey or Area	
	. And the second second	~ ~	SENE		Sec 7 T4	
		crest town or post office*			12. County or Parrish	13. State
5 mi.		16	. No. of acres in lease		l San Juan of acres assigned	UT
location to neare property or lease	line, ft.	່ວວາ	205	to thi	s well	
(Also to nearest of Distance from pr	roposed location*	332 '	285 Proposed depth	20. Rotar	y or cable tools	<u> </u>
or applied for, or	lrilling, completed, this lease, ft.	250'	450'	<u>-</u>	rotary	
Elevations (Show	whether DF, RT, GR, e				22. Approx. date wor	k will start*
4172	ground	· · · · · · · · · · · · · · · · · · ·		* , * * * *	AS	SAP
•		PROPOSED CASING A	IND CEMENTING PRO	GRAM		
Size of Hole	Size of Casi	ng Weight per Foot	Setting Depth	· · · · · · · · · · · · · · · · · · ·	Quantity of Cemen	t .
9 7/	8" 8 5/8"	<u>24 pd</u>	30'		7 sacks	
7 1/	4" 5 1/2"	' 17 pd	425!		25 sacks	5
	Propose to	drill and test				
	Estimated d	lepth of antici	pated water	or oil	- 400*	
	Pressure ed	quipment - none	. Zone is	shallow	and carries	3
		or no gas.				
	Circulating	medium - air	and foam.			•
	No abnormal	pressures or	temperature	s - no l	nydrogen sul	lfide.
	Jack Willia	ms 619 922 2	222			
		PROGRAM: If proposal is to				
tive zone. If pro	posal is to drill or deep	en directionally, give pertinent	data on subsurface loca	tions and measu	red and true vertical dep	ths. Give blowout

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to de ductive zone. If proposal is to drill or deepen directionally, give pertinent dat breacuter brontum if with

Signed Signed	Title	ary Engr. MARIE 15-91
(This space for releval or State office use) APT MO. 43.037.3[U]		Geol. 3-7-9/
Approved by	Titi-	OF UTAH DIVISION OF OIL, GAS, AND MINING
		DATE: 3-12-9
(3/89)	*See Instructions On Reverse Side	WELL SPACING: 15-3

Company	<u> </u>	rals and Explora		in in contrast, quantum and participal information
Well Name & No	de reception de la companya del la companya de la c	, agrantina de la companya de la distribución de la companya de la companya de la companya de la companya de l		
Location	2123' F/NL	332' F/EL		
Sec, T S.,	R. <u>19</u> E., S. L. A	λ., County	San Juan	, Utah
Ground Elevation $\frac{41}{2}$	72			



Scale, 1 inch = 1,000 feet

Fabruary 7

19 91

Surveyad

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:



Edgar L. Risenhoover
Registered Land Surveyor
New Mexico Reg. No. 5979

Non-resident certification as authorized by Utah State Law 58-22-21(b)

DRILLING LOCATION ASSESSMENT

State of Utah Division of Oil, Gas and Mining

OPERATOR: SAN JUAN MINERALS WELL NAME: GOODRIDGE 91-6 SECTION: 7 TWP: 42S RNG: 19E LOC: 2123 FNL 332 FEL QTR/QTR SE/NE COUNTY: SAN JUAN FIELD: MEXICAN HAT

SURFACE OWNER: GOODRICH ESTATE

SPACING: UNRESTRICTED

INSPECTOR: GLENN GOODWIN DATE AND TIME: 2/25/91 11:00

<u>PARTICIPANTS:</u> George Petty-San Juan Minerals

REGIONAL SETTING/TOPOGRAPHY: Mexican Hat townsite. Location is on a small Knoll with a wash to the west.

LAND USE:

CURRENT SURFACE USE: Pasture.

PROPOSED SURFACE DISTURBANCE: A 100'X 100' pad will be constructed.

AFFECTED FLOODPLAINS AND/OR WETLANDS: None

FLORA/FAUNA:

ENVIRONMENTAL PARAMETERS

SURFACE GEOLOGY

SOIL TYPE AND CHARACTERISTICS: Clayey sand and gravels.

SURFACE FORMATION & CHARACTERISTICS: Quaternary alluvium on Halgaito Shale.

EROSION/SEDIMENTATION/STABILITY: No active sedimentation or erosion at present.

PALEONTOLOGICAL POTENTIAL: None observed.

SUBSURFACE GEOLOGY

OBJECTIVES/DEPTHS: Goodridge sand.

ABNORMAL PRESSURES-HIGH AND LOW: None anticipated.

CULTURAL RESOURCES/ARCHAEOLOGY: NA

CONSTRUCTION MATERIALS: Onsite materials.

SITE RECLAMATION: As per landowner instructions.

RESERVE PIT

CHARACTERISTICS: A 20'X 20'X 5' reserve pit will be

constructed.

LINING: None needed

MUD PROGRAM: Well is to be drilled with air and foam.

DRILLING WATER SUPPLY: Mexican Hat culinary water system.

OTHER OBSERVATIONS

A berm has been placed along the wash to protect the wash from this and other locations.

STIPULATIONS FOR APD APPROVAL

None

ATTACHMENTS

Photographs will be placed on file.

BEFORE THE BOARD OF OIL, GAS AND MINING DEPARTMENT OF NATURAL RESOURCES IN AND FOR THE STATE OF UTAH

IN THE MATTER OF THE APPLICATION OF SAN JUAN MINERALS EXPLORATION COMPANY FOR AN EXCEPTION TO THE WILD CAT WELL SPACING PATTERN ESTABLISHED BY RULE C-3, OF THE GENERAL RULES AND REGULATIONS, AND AMENDING PRIOR ORDERS OF THE BOARD IN CAUSE NO. 156-1 TO GRANT UNRESTRICTED SPACING IN CERTAIN PORTIONS OF THE MEXICAN HAT AREA, SAN JUAN COUNTY, STATE OF UTAH

ORDER

CAUSE NO. 156-3 /

Pursuant to Notice of Hearing dated February 22, 1980, as amended, of the Board of Oil, Gas and Mining, Department of Natural Resources of the State of Utah, this Cause came on for hearing before Cleon B. Feight, acting as hearing examiner for the full Board, commencing at the hour of 9:00 a.m. on April 15, 1980, in the offices of the Division of Oil, Gas and Mining, 1588 West North Temple, Salt Lake City, Utah.

Appearing for the applicant was Anthony L. Rampton of the law firm of Fabian & Clendenin, Salt Lake City, Utah, and Robert Lauth, Certified Registered Geologist. Appearing on behalf of the Division of Oil, Gas and Mining were Denise Dragoo, Special Assistant, Utah Attorney General's Office, and Mike Minder, Petroleum Engineer.

NOW, THEREFORE, having considered the testimony presented to the hearing examiner and the exhibits received at said hearing, and being fully advised in the premises, and all persons appearing before the hearing examiner being in favor of the application, the Board now makes and enters the following:

FINDINGS OF FACT

1. Due and regular notice of the time, place and purpose of the hearing was given to all interested parties in the form and manner and within the time required by law and the rules and regulations of the Board.

- 2. The Board has jurisdiction over the matter covered by said Notice and over all parties interested therein and has jurisdiction to make and promulgate the Order hereinafter set forth.
- 3. The principal producing sand or zone in this area is the Goodridge Sand producing from shallow sand and low pressure.
- 4. That there has been no systematic development through the Mexican Hat Area.
- 5. By Order entered in Cause No. 156-1 dated September 25, 1974, the Board established five-acre spacing for drilling wells and not less than two hundred feet from any property or lease line or from the boundary of any legal subdivision comprising a governmental quarter-quarter section or equivalent lot or lots of comparable size and location and not less than 330 feet from any producible oil well, unless otherwise specifically permitted by order of the Board after notice and hearing.
- 6. That the oil wells producing on tracts in Sections
 31 and 32, Township 41 South, and Sections 4, 5, 6, 7 and 8, Township
 42 South, Range 19 East, Salt Lake Meridian, San Juan County, State
 of Utah, are all producing from the Goodridge producing sand.
- 7. That the Goodridge formation is confined to certain pockets of permeability and perceity requiring the drilling of holes in an irregular pattern in order to discover and drain all of the recoverable oil and associated hydrocarbons from said formation.
- 8. That in order to facilitate the location and commercial production of oil in this area, it is necessary to allow for an amendment to the Order in Cause No. 156-1 so as to permit the drilling of wells on unrestricted spacing in the aforestated sections.

ORDER

IT IS THEREFORE ORDERED:

A. That an exception is hereby granted to the provisions of Rule C-3, General Rules and Regulations, Division of Oil, Gas

and Mining, so as to permit the drilling of wells on unrestricted spacing to best accommodate the prevention of waste and protection of correlative rights in the development of the field and to maximize ultimate future recovery of oil and associated hydrocarbons insofar as and only insofar as the Goodridge Formation Sections 31 and 32, Township 41 South, and Sections 4, 5, 6, 7 and 8, Township 42 South, Range 19 East, Salt Lake Meridian, San Juan County, State of Utah, and the Order of this Board in Cause No. 156-1 is hereby amended accordingly.

- B. It is further Ordered that no well in said Sections shall be drilled less than 50 feet from any property or lease line or from the boundary of any legal subdivision comprising a governmental quarter-quarters section or equivalent lot or lots of comparable size unless otherwise specifically permitted by order of the Board after notice and hearing.
- C. That this Order is a temporary order and the Board, on its own motion or the motion of any interested party, may file an application requesting a hearing to present new evidence covering the matter set forth herein.
- D. That the Board retains continuing jurisdiction of all matters covered by this Order and particularly retains continuing jurisdiction to make further orders as appropriate and authorized by statute and applicable regulations.

ENTERED AND EFFECTIVE this 15 day of may, 1980.

BOARD OF OIL, GAS AND MINING OF THE STATE OF UTAH


Charles R. Henderson	
John L. Bell	
Thadeus W. Box	
د میرود. مسد در مراکز در در در در این	
C. Ray Juvelin	

E. Steele McIntyre

Constance K. Lundberg

Sdward T. Beck

OPERATOR Jan Juan Minuals J-0810 DATE	3-11-91
WELL NAME Goodidge 91-6	
SEC SENE 7 T 405 R 19E COUNTY Lan	Tuan
43 037-31010 API NUMBER TYPE OF LEASE	
CHECK OFF:	
PLAT 490E86TA 50.000	NEAREST WELL
LEASE FIELD SLBM	POTASH OR OIL SHALE
PROCESSING COMMENTS: Cause shows unustrated spacing Water Prints: Prints: 3-1-91 Veology when	
APPROVAL LETTER:	
SPACING: R615-2-3 HA UNIT	R615-3-2
150.3 4-15.40 CAUSE NO. & DATE	R615-3-3
STIPULATIONS:	
Water Primit	
	•



Dianne R. Nielson, Ph.D.

Division Director

State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

March 12, 1991

San Juan Minerals Exploration Company 10970 Williams Ave. Blythe, California 92225-9414

Gentlemen:

Re: Goodridge 91-6 Well, 2123 feet from the North line, 332 feet from the East line, SE NE, Section 7, Township 42 South, Range 19 East, San Juan County, Utah

Approval to drill the referenced well is hereby granted in accordance with the Order in Cause No. 156-3 dated April 15, 1980 subject to the following stipulations:

- 1. Prior to commencement of drilling, receipt by the Division of evidence providing assurance of an adequate and approved supply of water as required by Utah Code Ann. Section 73-3, Appropriation.
- San Juan Minerals Exploration Company, as designated operator, is the bonded principal in reference to this Application for Permit to Drill. Should this designation change or a transfer of ownership occur, liability will remain with the designated operator until the Division is notified by letter of a new bonded principal.

In addition, the following actions are necessary to fully comply with this approval:

- 1. Spudding notification within 24 hours after drilling operations commence.
- 2. Submittal of Entity Action Form 6, within five working days following spudding and whenever a change in operations or interests necessitates an entity status change.

Page 2 San Juan Minerals Exploration Company Goodridge 91-6 March 12, 1991

- 3. Submittal of the Report of Water Encountered During Drilling, Form 7.
- 4. Prompt notification in the event it is necessary to plug and abandon the well. Notify R. J. Firth, Associate Director, (Office) (80I) 538-5340, (Home) 571-6068, or J. L. Thompson, Lead Inspector, (Home) 298-9318.
- 5. Compliance with the requirements of Utah Admin. R.6I5-3-20, Gas Flaring or Venting.
- 6. Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site shall be submitted to the local health department. These drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Division of Environmental Health, Bureau of Drinking Water/Sanitation, telephone (80I) 538-6159.
- 7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-037-31612.

Sincerely,

Associate Director, Oil & Gas

tas

Enclosures

cc: Bureau of Land Management

J. L. Thompson

we14/1-46



State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING



355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

December 16, 1992

San Juan Minerals Exploration Company 10970 Williams Ave. Blythe, California 92225-9414

Gentlemen:

Re: <u>Goodridge 91-6 Well, Sec. 7, T. 42S, R. 19E, San Juan County, Utah</u> API No. 43-037-31612

Due to excessive time delay in commencing drilling operations, approval to drill the subject well is hereby rescinded, effective immediately.

Please note that a new Application for Permit to Drill must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division of Oil, Gas and Mining immediately.

Sincerely,

Don Staley

Administrative Supervisor

on Stelen

Oil and Gas

DME/ldc

cc: R.J. Firth

Well file

WOI219